WISCONSIN BEHAVIORAL RISK FACTOR SURVEY, 2001

The 2001 Wisconsin Behavioral Risk Factor Survey (BRFS) provides information based on responses from 3,605 adults (age 18 and older). Results are weighted to represent the 2.8 million adults ages 18-54, and 1.2 million age 55 and older, living in Wisconsin households.

PERCEIVED HEALTH STATUS

	All Adults		18-54		55 +	
	<u>%</u>	<u>(+/-)</u>	<u>%</u>	<u>(+/-)</u>	<u>%</u>	<u>(+/-)</u>
Health in general is:						
Excellent or very good	57	2	61	2	47	2
Good	32	2 2	32	2 2	33	2
Fair or poor	11	1	7	1	21	1
Number of days during the past 30 that your						
mental health was not good:						
0 days	60	2	53	2 2	75	3
1-5 days	26	1	30	2	14	2 2
6-30 days	15	1	17	1	10	2
physical health was not good:						
0 days	62	2	62	2	62	3
1-5 days	24	1	26	2 2 1	18	3 2 3
6-30 days	14	1	12	1	20	3
health kept you from doing your usual activities (persons with 1+ days poor mental/ physical health):						
0 days	66	2	67	2	62	4
1-5 days	21	2	23	2	16	3
6-30 days	13	1	10	1	21	4

0 days	OU
1-5 days	21
6-30 days	13
(+/-) = 95% confidence interval	

	All Adults 18-			R-54 55 +		
	<u>%</u>	(+/-)	<u>%</u>	(+/-)	<u>%</u>	(+/-)
Tobacco Use Current cigarette smoker * Percent of smokers who quit smoking 1 day or longer in	24	1	29	2	10	2
past year	56	3	57	4	51	9
Former cigarette smoker	29	1	21	2	45	3
Tobacco Opinions						
Smoking in indoor work areas should be allowed:without restrictionsonly in designated areasnot at all	1 29 70	<1 2 2	1 32 67	<1 2 2	1 23 76	<1 3 2
Smoking in restaurants should be allowed:	1	, 1	1	-1	1	-1
without restrictionsonly in designated areasnot at all	1 44 55	<1 2 2	1 47 52	<1 2 2	1 38 61	<1 3 3
OTHER RISK FACTORS	S FO	R CH	 RON	IC DI	 SEA	SE
Overweight (BMI) ŧ*	59	2	56	2	66	3
No leisure-time physical activity in past month	21	1	19	2	25	3
Servings of fruits and vegetables consumed per day:Less than 11-23-45 or more	5 37 37 21	1 2 2 1	6 43 34 17	1 2 2 1	2 23 45 31	1 3 3 3
Health professional has ever diagnosed: Arthritis Diabetes	25 6	1 1	14	1 1	49 12	3 2

* See Technical Notes † Body Mass Index

11,21,05101		SELECTE 2001		1996		1991	
	<u>%</u>	<u>(+/-)</u>	<u>%</u>	(+/-)	<u>%</u>	(+/-)	
Health Screenings							
In the past year had							
cholesterol checked	48	2	42	2	47	3	
Pap smear (F)**	66	2	60	3	64	3	
clinical breast exam (F)	73	2	66	3	68	3	
mammogram (F 50+)	69	2	59	4	50	5	
Risk Behaviors							
Current cigarette smoker	24	1	25	2	26	2	
Males	25	2	28	3	31	4	
Females	22	2	22	2	22	3	
Overweight (BMI) # *	59	2	54	2	49	3	
Males	66	2	63	3	60	4	
Females	52	2	44	3	38	4	
In the past month							
had 60 or more drinks	9	1	6	1	5	1	
Males	11	2	12	2	10	2	
Females	3	1	1	1	<1	<1	
had 5 or more drinks on							
one occasion	26	1	26	2	24	2	
Males	37	2	38	3	35	4	
Females	15	2	15	2	13	2	
drove after having too							
much to drink	5	1	6	1	6	1	
Males	7	1	9	2	10	2	
Females	2	1	2	1	3	1	

^{**} Excluding women who have had a hysterectomy

TECHNICAL NOTES

The Behavioral Risk Factor Survey is a representative, statewide telephone survey of Wisconsin household residents 18 years and older. Results are based on self-reports from respondents who are selected through a stratified random sample. Results are weighted to account for both nonresponse and sample design, and to adjust for the age-sex distribution of Wisconsin's population. The survey was designed by the Bureau of Health Information in cooperation with the U.S. Centers for Disease Control and Prevention. Survey sampling and interviewing were conducted by the University of Wisconsin Survey Center.

In 2001, 2,590 respondents were 18 to 54 years old, and 1,001 were 55 or older. There were 2,231 respondents in 1996 and 1,282 in 1991.

Columns labeled (+/-) indicate the 95% confidence interval associated with each estimate. For example, for all adults whose health is excellent or very good (56%), there is a 95% chance that the actual percentage falls within the range of plus or minus 2 percentage points (54%-58%).

The Centers for Disease Control and Prevention provided the following definitions:

- Overweight is defined by the Body Mass Index (BMI), a calculation (weight in kilograms divided by height in meters squared) using selfreported height and weight. A BMI greater than 25.0 is considered overweight.
- Current smokers are those who smoke currently, either every day or only some days, and have smoked more than 100 cigarettes in their lifetime
- A drink of alcohol is defined as one can or bottle of beer, one glass of wine, one can or bottle of wine cooler, one cocktail, or one shot of liquor.
- The prevalence of **diabetes** is likely to be an underestimate because a significant proportion of adults have never been tested.

Differences in estimates between years, age groups, or sexes may not be statistically significant. For additional information about the BRFS, call Karl Pearson at 608-266-1920. For other health data, visit our Web site at http://www.dhfs.state.wi.us/stats/index.htm.

2002

PHC 5336 (10/02)

Health Counts in Wisconsin

New Findings from the Bureau of Health Information

BEHAVIORAL RISK FACTORS

2001

Division of Health Care Financing Department of Health and Family Services